

PROTECH®

7inch HD Monitor for broadcasting and professional use

HDM-70WV Battery V-mount, HD-SDI input

Features

Battery V-mount	24P Input
HD/SD SDI	Zebra Display
HD Component	R/G Tally
SDI Return	16CH Audio Meter
Remote Return-switching	RGB only
Blue only switch	Monochrome Display
SDI Error Detection	Marker Display
TC Display	



Supplied accessory:

Monitor-stand, Universal Head, VF Tilt Arm Stay,
CamTap Power Supply Cable (1.2m),
AC Adaptor, Operation Manual

9inch HD Monitor for broadcasting and professional use

HDM-90V Audio monitor, vector scope and wave form monitor can be displayed on the upper part or the lower part of the screen.

Features

Stereo Speaker	TC Display
Measurement Function	Headphone Jack
HD/SD SDI	24P Input
HD Component	Zebra Display
16CH Audio Meter	Marker Display
RGB only	XLR4P DC12VIN



Supplied accessory:

AC Cable, Operation Manual

PROTECH®

7inch HD Monitor with speakers for broadcasting and professional use

HDM-70SP

Equipped with stereo speaker for monitor
HD-SDI output (through)

Features

Stereo Speaker
Measurement Function
HD/SD SDI
HD Component
16CH Audio Meter
RGB only

TC Display
Headphone Jack
24P Input
Zebra Display
Marker Display
XLR4P DC12VIN



Supplied accessory:
AC Cable, Operation Manual

3D/2D HD Monitor for broadcasting and professional use

HDM-900WD

Corresponding to 3D video input (Simultaneous/Line By Line/side By Side).
3 dimensional vision is possible using the 3D color filter (R/G) glasses.

Equipped with Cross Media Converter



Features

Stereo Speaker
Measurement Function
HD/SD SDI
HD Component
16CH Audio Meter
RGB only

TC Display
Headphone Jack
24P Input
Zebra Display
Marker Display
XLR4P DC12VIN
Optional Rack Mount Kit is available.



Supplied accessory:
Simple glasses, AC Cable,
Operation Manual

PROTECH®

17inch HD Monitor for broadcasting and professional use

HDM-1700W High-end HD Monitor with high performance LCD panel.
Faithful color reproduction is realized.

Features

Stereo Speaker
Measurement Function
HD/SD SDI
HD Component
16CH Audio Meter
RGB only

TC Display
Headphone Jack
24P Input
Zebra Display
Marker Display
Optional Rack Mount Kit is available.



Supplied accessory:
Operation Manual

18inch HD Monitor for broadcasting and professional use

HDM-1800W Equipped with cost-effective 18inch LCD panel.
It is suitable for the confirmation.

Features

Measurement Function
HD/SD SDI
HD Component
16CH Audio Meter
RGB only
TC Display

24P Input
Zebra Display
Marker Display
Optional Rack Mount Kit is available.



Supplied accessory:
Operation Manual

Portable Aluminum Case for HDM-1700W / HDM-1800W

SC-1700

HDM-1700W / HDM-1800W can be set to operating condition with one-touch operation at the shooting place. Setting finishes by pull-up of the handle on the top of the case. Hood is equipped and simple setting is realized.

Main Specifications
Outside Dimension: 582W x 4497H x 172Dmm
Weight: Approx. 7.5kg

Supplied accessory : Operation Manual



PROTECH®

24inch HD Monitor for broadcasting and professional use

HDM-2400W

1920 x 1200 FULL HD High-contrast Wide-color Band 10 Bit IPS Panel Equipped with measurement function.

AC operation



Supplied accessory:
Operation Manual

32inch HD Monitor for broadcasting and professional use

HDM-3200W

1920 x 1080 FULL HD High-contrast Wide-color Band 10 Bit IPS Panel Equipped with measurement function.

AC operation



Supplied accessory:
Operation Manual