

PROTECH®

Optical Fiber Studio System
composition

Vamos Corporation

Tokyo Royal Plaza 10F, No.1015

1-18-11, Uchikanda, Chiyoda-ku

Tokyo 101-0047 Japan


Tel: +81-3-3293-5770

Fax: +81-3-3293-5771

E-mail: sales@vamos.jp

March 21, 2012

1-1. Handy type Camcorder PMW-EX1R x3




1-2. **PMW-EX1R** x3 system composition

Composition:

Camcorder	PMW-EX1R	3	SONY
Optical Fiber Camera Adaptor	PS-270HD	3	
DC Cable	DC-EX3	3	
BNC Cable		11	
T type BNC Connector		1	
HDMI Cable		3	
Camera View Finder	VF-89W	3	
VF 6-pin Cable	VC-450	3	
Optical Fiber Base Station	PS-570HD	3	
Optical Fiber Cable	ALC-20M/50M/100M	3	
External Tally Cable	TC-550	2	
Rack Mount Kit	HS-RA90	2	
Intercom Headset	DL-400	4	
<hr/>			
Tripod Base Plate	VST-14	3	
	or Sony VCT-14		

1-1. Shoulder type Camcorder x2

HD Camcorder: HVR-S270



Control Cable (LANC):
Stereo mini-mini jack (φ 2.5)

1-2. HVR-S270, 2 sets , system composition

Composition:


Camcorder	HVR-S270	2	SONY
Optical Fiber Camera Adaptor	PS-470SHDG	2	
Control Cable (LANC)		2	mini-mini
BNC Cable		7	
Camera View Finder	VF-89W	2	
VF 6-pin Cable	VC-450	2	
Optical Fiber Base Station	PS-570SHDG	2	
Remote Commander	RM-1BP or RM-1000BP	2	SONY
Optical Fiber Cable	ALC-20M/50M/100M	2	
External Tally Cable	TC-550	1	
Rack Mount Kit	HS-RA90	1	
Intercom Headset	DL-400	3	
Tripod Base Plate	VST-14	2	
	or Sony VCT-14		

2. PMW-350, 1 set , Gen-lock type system composition**Composition:**

Camcorder	PMW-350	1	SONY
Optical Fiber Camera Adaptor	PS-470HDG	1	
BNC Cable		9	
Camera View Finder	VF-89W	1	
VF 6-pin Cable	VC-450	1	
Zoom control		1	Option
Optical Fiber Base Station	PS-570HDG or PS-570HDWG	1	
Optical Fiber Cable	ALC-20M/50M/100M	1	
External Tally Cable	TC-550	1	
Rack Mount Kit	HS-RA90	1	
Intercom Headset	DL-400	2	
Tripod Base Plate	VST-14 or Sony VCT-14	1	

3. ENG Camcorder: Remote control type

XDCAM EX Camcorder: PMW-350



LVM-43W: NTSC/PAL 16:9/4:3


3. PMW-350, 1 set , Remote control type system composition

Composition:

Camcorder	PMW-350	1	SONY
Optical Fiber Camera Adaptor	PS-470SHD	1	
BNC Cable		5	
Camera View Finder	VF-89W	1	
VF 6-pin Cable	VC-450	1	
Remote Cable	RCC-450S	1	
Zoom Control		1	Option
Optical Fiber Base Station	PS-570SHD	1	
Camera Remocon Unit	RM-B150	1	SONY
Optical Fiber Cable	ALC-20M/50M/100M	1	
Rack Mount Kit	HS-RA90	1	
Intercom Headset	DL-400	2	
Tripod Base Plate	VST-14	1	
	or Sony VCT-14		

4. ENG Camcorder: Remote control, **Gen-lock type**

XDCAM EX Camcorder: PMW-350



LVM-43W: NTSC/PAL 16:9

4. PMW-350, 1 set , Remote control, **Gen-lock type system composition****Composition:**

Camcorder	PMW-350	1	SONY
Optical Fiber Camera Adaptor	PS-470SHDG	1	
BNC Cable		9	
Camera View Finder	VF-89W	1	
VF 6-pin Cable	VC-450	1	
Remote Cable	RCC-450S	1	
Zoom Control		1	Option
Optical Fiber Base Station	PS-570SHDG or PS-570SHDWG	1	
Camera Remocon Unit	RM-B150	1	SONY
Optical Fiber Cable	ALC-20M/50M/100M	1	
External Tally Cable	TC-550	1	
Rack Mount Kit	HS-RA90	1	
Intercom Headset	DL-400	2	
Tripod Base Plate	VST-14 or Sony VCT-14	1	